



# Ultimate Water Spot Remover

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations  
Revision Date: 03/18/2015 Date of issue: 03/18/2015

Version: 1.0

### SECTION 1: IDENTIFICATION

#### Product Identifier

**Product Form:** Mixture

**Product Name:** Ultimate Water Spot Remover

**Product Code:** 920XX

#### Intended Use of the Product

Cleaner

#### Name, Address, and Telephone of the Responsible Party

##### **Company**

Star brite Inc.  
4041 SW 47<sup>th</sup> Avenue  
Fort Lauderdale, FL 33314  
(954)587-6280  
[www.starbrite.com](http://www.starbrite.com)

#### Emergency Telephone Number

**Emergency Number** : US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification of the Substance or Mixture

**Classification (GHS-US)**

Not classified

#### Label Elements

**GHS-US Labeling** No labeling applicable

#### Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

**Unknown Acute Toxicity (GHS-US)** Not available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

| Name              | Product Identifier | % (w/w) | Classification (GHS-US)                                      |
|-------------------|--------------------|---------|--|
| Isopropyl alcohol | (CAS No) 67-63-0   | 1       | Flam. Liq. 2, H225<br>Eye Irrit. 2A, H319<br>STOT SE 3, H336 |

Full text of H-phrases: see section 16

### SECTION 4: FIRST AID MEASURES

#### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Call a POISON CENTER or doctor/physician if you feel unwell.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for several minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

#### Most Important Symptoms and Effects Both Acute and Delayed

**General:** None expected under normal conditions of use.

**Inhalation:** May cause respiratory irritation.

**Skin Contact:** May cause mild skin irritation.

**Eye Contact:** May cause slight irritation to eyes.

# Ultimate Water Spot Remover

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

### **Indication of Any Immediate Medical Attention and Special Treatment Needed**

If you feel unwell, seek medical advice (show the label where possible).

## **SECTION 5: FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### **Special Hazards Arising From the Substance or Mixture**

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition. Do not allow run-off from firefighting to enter drains or water courses.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>).

### **Reference to Other Sections**

Refer to section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** No special measures required.

#### **For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area.

### **Environmental Precautions**

Prevent entry to sewers and public waters.

### **Methods and Material for Containment and Cleaning Up**

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material, then place in suitable container. Contact competent authorities after a spill.

### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**Specific End Use(s)** Cleaner

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

# Ultimate Water Spot Remover

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

| <b>Isopropyl alcohol (67-63-0)</b> |                                       |  |
|------------------------------------|---------------------------------------|--|
| <b>USA ACGIH</b>                   | ACGIH TWA (ppm)                       | 200 ppm                                |
| <b>USA ACGIH</b>                   | ACGIH STEL (ppm)                      | 400 ppm                                |
| <b>USA ACGIH</b>                   | ACGIH chemical category               | Not Classifiable as a Human Carcinogen |
| <b>USA OSHA</b>                    | OSHA PEL (TWA) (mg/m <sup>3</sup> )   | 980 mg/m <sup>3</sup>                  |
| <b>USA OSHA</b>                    | OSHA PEL (TWA) (ppm)                  | 400 ppm                                |
| <b>USA NIOSH</b>                   | NIOSH REL (TWA) (mg/m <sup>3</sup> )  | 980 mg/m <sup>3</sup>                  |
| <b>USA NIOSH</b>                   | NIOSH REL (TWA) (ppm)                 | 400 ppm                                |
| <b>USA NIOSH</b>                   | NIOSH REL (STEL) (mg/m <sup>3</sup> ) | 1225 mg/m <sup>3</sup>                 |
| <b>USA NIOSH</b>                   | NIOSH REL (STEL) (ppm)                | 500 ppm                                |
| <b>USA IDLH</b>                    | US IDLH (ppm)                         | 2000 ppm (10% LEL)                     |
| <b>Alberta</b>                     | OEL STEL (mg/m <sup>3</sup> )         | 984 mg/m <sup>3</sup>                  |
| <b>Alberta</b>                     | OEL STEL (ppm)                        | 400 ppm                                |
| <b>Alberta</b>                     | OEL TWA (mg/m <sup>3</sup> )          | 492 mg/m <sup>3</sup>                  |
| <b>Alberta</b>                     | OEL TWA (ppm)                         | 200 ppm                                |
| <b>British Columbia</b>            | OEL STEL (ppm)                        | 400 ppm                                |
| <b>British Columbia</b>            | OEL TWA (ppm)                         | 200 ppm                                |
| <b>Manitoba</b>                    | OEL STEL (ppm)                        | 400 ppm                                |
| <b>Manitoba</b>                    | OEL TWA (ppm)                         | 200 ppm                                |
| <b>New Brunswick</b>               | OEL STEL (mg/m <sup>3</sup> )         | 1230 mg/m <sup>3</sup>                 |
| <b>New Brunswick</b>               | OEL STEL (ppm)                        | 500 ppm                                |
| <b>New Brunswick</b>               | OEL TWA (mg/m <sup>3</sup> )          | 983 mg/m <sup>3</sup>                  |
| <b>New Brunswick</b>               | OEL TWA (ppm)                         | 400 ppm                                |
| <b>Newfoundland &amp; Labrador</b> | OEL STEL (ppm)                        | 400 ppm                                |
| <b>Newfoundland &amp; Labrador</b> | OEL TWA (ppm)                         | 200 ppm                                |
| <b>Nova Scotia</b>                 | OEL STEL (ppm)                        | 400 ppm                                |
| <b>Nova Scotia</b>                 | OEL TWA (ppm)                         | 200 ppm                                |
| <b>Nunavut</b>                     | OEL STEL (mg/m <sup>3</sup> )         | 1228 mg/m <sup>3</sup>                 |
| <b>Nunavut</b>                     | OEL STEL (ppm)                        | 500 ppm                                |
| <b>Nunavut</b>                     | OEL TWA (mg/m <sup>3</sup> )          | 983 mg/m <sup>3</sup>                  |
| <b>Nunavut</b>                     | OEL TWA (ppm)                         | 400 ppm                                |
| <b>Northwest Territories</b>       | OEL STEL (mg/m <sup>3</sup> )         | 1228 mg/m <sup>3</sup>                 |
| <b>Northwest Territories</b>       | OEL STEL (ppm)                        | 500 ppm                                |
| <b>Northwest Territories</b>       | OEL TWA (mg/m <sup>3</sup> )          | 983 mg/m <sup>3</sup>                  |
| <b>Northwest Territories</b>       | OEL TWA (ppm)                         | 400 ppm                                |
| <b>Ontario</b>                     | OEL STEL (ppm)                        | 400 ppm                                |
| <b>Ontario</b>                     | OEL TWA (ppm)                         | 200 ppm                                |
| <b>Prince Edward Island</b>        | OEL STEL (ppm)                        | 400 ppm                                |
| <b>Prince Edward Island</b>        | OEL TWA (ppm)                         | 200 ppm                                |
| <b>Québec</b>                      | VECD (mg/m <sup>3</sup> )             | 1230 mg/m <sup>3</sup>                 |
| <b>Québec</b>                      | VECD (ppm)                            | 500 ppm                                |
| <b>Québec</b>                      | VEMP (mg/m <sup>3</sup> )             | 985 mg/m <sup>3</sup>                  |
| <b>Québec</b>                      | VEMP (ppm)                            | 400 ppm                                |
| <b>Saskatchewan</b>                | OEL STEL (ppm)                        | 400 ppm                                |
| <b>Saskatchewan</b>                | OEL TWA (ppm)                         | 200 ppm                                |
| <b>Yukon</b>                       | OEL STEL (mg/m <sup>3</sup> )         | 1225 mg/m <sup>3</sup>                 |
| <b>Yukon</b>                       | OEL STEL (ppm)                        | 500 ppm                                |
| <b>Yukon</b>                       | OEL TWA (mg/m <sup>3</sup> )          | 980 mg/m <sup>3</sup>                  |
| <b>Yukon</b>                       | OEL TWA (ppm)                         | 400 ppm                                |

# Ultimate Water Spot Remover

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Not generally required. The use of personal protective equipment may be necessary as conditions warrant.

**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

|   |   |
|---|---|
| Physical State                                    | : Liquid  |
| Appearance  | : Light blue  |
| Odor  | : Pleasant  |
| Odor Threshold                                    | : Not available   |
| pH  | : 5.5   |
| Evaporation Rate                                  | : Not available   |
| Melting Point                                     | : Not available   |
| Freezing Point                                    | : Not available   |
| Boiling Point                                     | : > 100 °C (> 212 °F)   |
| Flash Point                                       | : > 100 °C (> 212 °F)   |
| Auto-ignition Temperature                         | : Not available   |
| Decomposition Temperature                         | : Not available   |
| Flammability (solid, gas)                         | : Not available   |
| Lower Flammable Limit                             | : Not available   |
| Upper Flammable Limit                             | : Not available   |
| Vapor Pressure                                    | : Not available   |
| Relative Vapor Density at 20 °C                   | : Not available   |
| Relative Density                                  | : Not available   |
| Specific Gravity                                  | : 1   |
| Solubility  | : Soluble in water  |
| Partition Coefficient: N-Octanol/Water            | : Not available   |
| Viscosity   | : Not available   |
| Explosion Data – Sensitivity to Mechanical Impact | : Not expected to present an explosion hazard due to mechanical impact. |
| Explosion Data – Sensitivity to Static Discharge  | : Not expected to present an explosion hazard due to static discharge.  |

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Hazardous reactions will not occur under normal conditions.

**Chemical Stability:** Stable under normal conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Incompatible materials.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data:** Not available

# Ultimate Water Spot Remover

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Skin Corrosion/Irritation:** Not classified

**pH:** 5.5

**Serious Eye Damage/Irritation:** Not classified

**pH:** 5.5

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** May cause respiratory irritation.

**Symptoms/Injuries After Skin Contact:** May cause mild skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

|                                    |  |
|------------------------------------|--|
| <b>Isopropyl alcohol (67-63-0)</b> |  |
| <b>LD50 Oral Rat</b>               | 4710 mg/kg                                   |
| <b>LD50 Dermal Rabbit</b>          | 4059 mg/kg                                   |
| <b>LC50 Inhalation Rat</b>         | 72600 mg/m <sup>3</sup> (Exposure time: 4 h) |
| <b>Isopropyl alcohol (67-63-0)</b> |  |
| <b>IARC Group</b>                  | 3  |

## SECTION 12: ECOLOGICAL INFORMATION

**Toxicity** No additional information available

|                                       |   |
|---------------------------------------|---|
| <b>Isopropyl alcohol (67-63-0)</b>    |   |
| <b>LC50 Fish 1</b>                    | 9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| <b>EC50 Daphnia 1</b>                 | 13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)                     |
| <b>EC50 Other Aquatic Organisms 1</b> | 1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)            |
| <b>LC 50 Fish 2</b>                   | 11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])      |
| <b>EC50 Other Aquatic Organisms 2</b> | 1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)            |

### Persistence and Degradability

|                                      |                  |
|--------------------------------------|------------------|
| <b>Ultimate Water Spot Remover</b>   |                  |
| <b>Persistence and Degradability</b> | Not established. |

### Bioaccumulative Potential

|                                    |                  |
|------------------------------------|------------------|
| <b>Ultimate Water Spot Remover</b> |                  |
| <b>Bioaccumulative Potential</b>   | Not established. |

|                                    |                 |
|------------------------------------|-----------------|
| <b>Isopropyl alcohol (67-63-0)</b> |                 |
| <b>Log Pow</b>                     | 0.05 (at 25 °C) |

**Mobility in Soil** Not available

### Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

# Ultimate Water Spot Remover

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/DOT/TDG/IMDG

**UN Number** Not regulated for transport

**UN Proper Shipping Name** Not regulated for transport

**Transport Hazard Class(es)** Not regulated for transport

**Additional Information** Not available

**Transport by sea** Not regulated for transport

**Marine pollutant:** No

**Air transport** Not regulated for transport

### SECTION 15: REGULATORY INFORMATION

#### US Federal Regulations

##### Isopropyl alcohol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on United States SARA Section 313

##### EPA TSCA Regulatory Flag

T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

##### SARA Section 313 - Emission Reporting

1.0 % (only if manufactured by the strong acid process, no supplier notification)

#### US State Regulations

##### Isopropyl alcohol (67-63-0)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

#### Canadian Regulations

##### Ultimate Water Spot Remover

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

##### Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

Listed on the Canadian IDL (Ingredient Disclosure List)

IDL Concentration 1 %

WHMIS Classification

Class B Division 2 - Flammable Liquid

Class D Division 2 Subdivision B - Toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 03/18/2015

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### GHS Full Text Phrases:

|                     |  |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4                                 |
| Aquatic Acute 1     | Hazardous to the aquatic environment - Acute Hazard Category 1   |
| Aquatic Chronic 1   | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 2   | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Aquatic Chronic 3   | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Eye Dam. 1          | Serious eye damage/eye irritation Category 1                     |
| Eye Irrit. 2A       | Serious eye damage/eye irritation Category 2A                    |
| Flam. Liq. 2        | Flammable liquids Category 2                                     |
| Skin Irrit. 2       | Skin corrosion/irritation Category 2                             |


# Ultimate Water Spot Remover

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

|               |   |
|---------------|---|
| Skin Sens. 1  | Skin sensitization Category 1                               |
| Skin Sens. 1B | Skin sensitization Category 1B                              |
| STOT SE 3     | Specific target organ toxicity (single exposure) Category 3 |
| H225          | Highly flammable liquid and vapor                           |
| H302          | Harmful if swallowed  |
| H315          | Causes skin irritation                                      |
| H317          | May cause an allergic skin reaction                         |
| H318          | Causes serious eye damage                                   |
| H319          | Causes serious eye irritation                               |
| H336          | May cause drowsiness or dizziness                           |
| H400          | Very toxic to aquatic life                                  |
| H410          | Very toxic to aquatic life with long lasting effects        |
| H411          | Toxic to aquatic life with long lasting effects             |
| H412          | Harmful to aquatic life with long lasting effects           |

- NFPA Health Hazard** : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
- NFPA Fire Hazard** : 1 - Must be preheated before ignition can occur.
- NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America GHS US 2012 & WHMIS 2